



Copyright © 2025, Inter-American Investment Corporation ("IDB Invest"). This work is subject to a <u>Creative Commons license CC BY 3.0 IGO</u>. The terms and conditions indicated in the URL Link must be met and the respective recognition must be granted to IDB Invest. Further to section 8 of the above license, any mediation relating to disputes arising under such license shall be conducted in accordance with the WIPO Mediation Rules, as in effect at the time of the dispute. Any dispute related to the use of the works of IDB Invest that cannot be settled amicably shall be submitted to arbitration pursuant to the United Nations Commission on International Trade Law (UNCITRAL) rules, as in effect at the time of the dispute. The use of IDB Invest's name for any purpose other than for attribution, and the use of IDB Invest's logo shall be subject to a separate written license agreement between IDB Invest and the user and is not authorized as part of this license.

Note that the URL link includes terms and conditions that are an integral part of this license.

The opinions expressed in this work are those of the authors and do not necessarily reflect the views of the Inter-American Investment Corporation, its Board of Directors, or the countries they represent.

Contents

	Introduction to Biodiversity Offset Monitoring and Verification	. 4
1	Establish Clear Logic for Offset Intervention Success	5
2	Verify Long Term Outcomes	6
3	Commit to ongoing verification	8
	Glossarv	9

Introduction to Biodiversity Offset Monitoring and Verification

Biodiversity offsets are carefully planned projects that aim to compensate for a development projects' residual impacts on priority biodiversity that remain after applying all feasible **Mitigation Hierarchy** measures to avoid, minimize, and restore.

Offsets must deliver verifiable, additional biodiversity outcomes. Additional outcomes are those that would not foreseeably occur under the no-offset project scenario. Offsets should target the same set of priority biodiversity values affected by the project or, where appropriate, 'trade up' to create uplift in values considered by conservation experts to be of a higher conservation priority.


Depending on the conservation priority of values impacted by the project, the magnitude of impact, and stakeholder expectations offsets are designed to achieve either a **No Net Loss (NNL)** or a **Net Gain (NG)** in biodiversity. Figure 1 shows how project impacts and offset outcomes operate within the **Mitigation Hierarchy**.

IDB Invest aligns its approach with IFC Performance Standard 6, expecting clients who require a biodiversity offset to prepare a credible Biodiversity Monitoring and Evaluation Plan (BMEP).

Figure 1

This graphic shows the sequential steps of the mitigation hierarchy: avoid, minimize, restore or rehabilitate, and finally offset. Offsets are applied only to the residual impacts that remain after all other measures. When offsets exceed what is needed to balance losses, they contribute to Net Gain.

Source: BBOP



A credible BMEP explains the **metrics, sampling methods** and analysis techniques used to verify that sufficient additional outcomes to meet **NNL/NG** targets would accumulate over time. It should be written in a way that enables any external competent professional ecologist to implement the plan and evaluate the monitoring results to verify if intended outcomes have occurred. It should describe how the necessary budget, human resource and data management capacities for implementation will be in place over the long-term. It should have adaptive management mechanisms in place for offset implementing teams to respond to emerging information.

A 3-step process for designing and implementing effective BMEP follows

STEP 1

Establish clear logic for offset intervention success

STEP 2

Verify long term outcomes

STEP 3

Commit to ongoing verification

Establish Clear Logic for Offset Intervention Success

STEP 1 REFERENCE CHECKLIST ESTABLISH A CLEAR PROJECT LOGIC

- Define priority biodiversity values and current pressures.
- ✓ Describe how interventions will reduce pressures of support recovery
- Specify expected outcomes and how monitoring will confirm them.
- Ensure the logic links
 actions to results

Every BMEP must be underpinned by a clear project logic that articulates how the offset interventions will generate additional conservation outcomes. This enables evaluation techniques to focus on key sites and ecosystems to verify the expected positive change.

A well-constructed project logic provides the foundation for effective monitoring, verification, and adaptive management. It defines what success looks like, aligns interventions with intended results, and ensures that offset project teams can track outcomes over time, responding to emerging challenges.

The offset project logic must:

- Specify biodiversity values at risk and the pre-offset project pressures driving their decline or preventing their recovery.
- Describe the planned offset interventions, and how they will reduce pressures or assist regeneration.

• Define the intended offset outcomes and explain how monitoring can confirm that the offset is delivering them.

A strong project logic links interventions to expected outcomes, guiding monitoring toward the most relevant indicators. It builds shared understanding among stakeholders and provides a credible basis for interpreting trends and making decisions as conditions change.

2 Verify Long Term Outcomes

STEP 2 REFERENCE CHECKLIST VERIFY OUTCOMES

- Monitor change using intervention, counterfactual, and reference sites.
- ✓ Select and justify ecological state and pressure indicators.
- Define clear metrics supported by repeatable, robust, and site-appropriate survey methods.
- ✓ Track results over the short, medium, and long term to inform adaptive management.
- ✓ Set adaptive management thresholds and triggers, with clear processes for responding if outcomes fall short
- Consider whether the project has potential for leakage, and ensure monitoring is designed to detect it.

Offsets must generate measurable biodiversity gains that can be tracked over time. To demonstrate these outcomes, and adjust course when needed, project teams must design and implement a robust monitoring system. This requires the capacity to design a sound monitoring program, track progress, analyze ecological trends, and respond when outcomes fall short or conditions change.

An effective monitoring program uses three types of measurement sites to track change and isolate the effects of offset **interventions** from background trends and natural variation:

- **Intervention sites:** where teams implement offset activities and measure ecological responses.
- **Counterfactual sites:** sites of similar ecology to offset **intervention sites** but where no interventions occur to characterise the "no-project" scenario for comparison.
- Reference sites: intact ecosystems that define what success looks like and serve as benchmarks for recovery.

Together, these sites enable project teams to demonstrate **additionality**, interpret trends, and verify offset claims. By comparing **intervention** sites to **counterfactuals**, teams can isolate the effect of the offset from background ecological change and determine what proportion of observed gains are due to offset **interventions**

All sites should be clearly mapped to show their spatial distribution across the offset area and wider landscape or seascape. Teams should ensure that sites are representative of the full range of ecological conditions within the offset project area and are practical to access for long-term monitoring.

Each BMEP must also include a mix of **indicators** that together provide a complete and reliable picture of performance:

Stakeholder
engagement plays a
critical role throughout
the monitoring process.
Local communities,
Indigenous peoples,
landowners, and other
stakeholders can offer
valuable insights and
help sustain long-term
monitoring efforts. Offset
projects should engage
stakeholders by:

- Involving them in baseline data collection and longterm monitoring
- Collaborating to interpret trends and verify results
- Integrating Traditional Ecological Knowledge

Effective engagement helps ensure that local people are supportive of the project and that monitoring is context-sensitive, credible, and responsive to community needs.

- Ecological state indicators to track changes in the three dimensions of: species composition, habitat structure, and ecosystem function.
 A minimum set of indicators to reliably represent ecological state is five, selected from at least two of the three dimensions.
- Pressure **indicators** measure the intensity and frequency of threats such as fire, invasive species, illegal activities or overgrazing.

This combination of sites and **indicators** captures the full context of the **offset site**, what is driving change, and whether **interventions** are delivering additional **conservation outcomes**.

For each indicator, teams must:

- Define metrics that specify what they are measuring on the ground.
- Set out **survey methods** (the tools that collect the **metrics**) that describe how they will collect the data.

Teams must apply consistent, repeatable methods that match the site's ecological conditions. This ensures that monitoring results are credible, comparable, and useful for decision-making. Monitoring data and analysis should build a clear trajectory of ecological change over time, showing how conditions evolve in response to offset interventions. Analysis should compare results to the baseline and counterfactual, show whether uplift is occurring, and be transparent, practical, and specific about uncertainty sources and levels.

The BMEP must track results across multiple timeframes:

- Short-term: confirm that actions are in place and that management is proceeding as intended.
- Medium-term: detect early ecological responses to **interventions**.
- Long-term: demonstrate that biodiversity gains are occurring, that those gains are sustained and outcomes are on track to meet offset targets.

Adaptive management sits at the core of an effective BMEP. Offset project teams must use monitoring results to revisit assumptions, refine methods, and respond to emerging challenges or unintended outcomes. Strong

Thresholds and Triggers

Thresholds are predefined benchmarks (e.g. minimum vegetation cover or species return) that signal whether the offset is on track. If monitoring results fall below these thresholds, it should trigger a response: reviewing assumptions, adjusting methods, or intensifying efforts.

BMEPs define clear thresholds or triggers, such as stalled progress, rising pressures, or unexpected ecological responses, that indicate when corrective action is necessary.

Offset teams must define in advance how they will respond when monitoring shows that outcomes are not being achieved. Adaptive management is not optional; it is the mechanism that keeps the offset on track.

3 Commit to ongoing verification

Offsets often take decades to achieve their intended outcomes. As a result, monitoring systems must remain in place long enough to confirm that biodiversity gains are real, stable, and lasting, not just short-term improvements.

Offset project teams must build long-term delivery into the BMEP from the outset. The plan must:

- · Identify who will implement and oversee monitoring.
- Describe how the team will secure sustained funding.
- Explain how they will preserve data, documentation, and institutional knowledge in the event of staff or partner turnover.
- Set out governance mechanisms that ensure transparency, accountability, and responsiveness over time.

Where feasible, offset project teams should partner with local communities, NGOs, or public agencies to share responsibility, improve continuity, and strengthen local ownership. These partnerships reduce risk and build confidence in the offset's long-term viability.

A credible long-term monitoring system assures regulators, investors, and stakeholders that the offset is not a one-time intervention, but a sustained commitment to measurable biodiversity outcomes.

Offset project teams must ensure that monitoring remains viable regardless of staff turnover or organizational changes. Long-term success depends on sufficient capacity, clear governance and sustainable finance.

STEP 3

REFERENCE CHECKLIST ENSURE LONG-TERM DELIVERY

- Assign clear roles and responsibilities for monitoring over time.
- Secure sustainable funding for offset implementation, data analysis, and reporting.
- Establish systems to manage and preserve data, and institutional knowledge.
- Build governance structures that ensure transparency accountability, and decision-making.
- Partner with local communities, NGOs, or agencies to support continuity and local ownership.

Glossary

А

Additionality

Refers to the net biodiversity benefit or gain produced from delivering an offset over and above the predicted **counterfactual**, or the 'no-project scenario'.

B

Baseline

A state of a system, potential benefits, and existing pressures that function as a comparison. Baseline information reflects the starting-point or state of a system or location. Baselines, whether dynamic or static, function as a point of comparison to demonstrate the net additional gain of offset Interventions versus the no-project scenario. Offset projects collect baselines for intervention. counterfactual, and reference sites prior to the commencement of offset Interventions.

C

Conservation outcome

The effects or changes to ecological systems that result from offset project interventions or activities.

Counterfactual sites

Monitoring locations that represent areas that are of similar ecology and baseline state as the intervention site and are influenced by similar dynamics (e.g. degrading pressures or regeneration) but are not where offset interventions occur.

Counterfactual

Predictions of the no-project scenario. Used to assess the likely future direction and rate of change in habitat extent or condition (e.g., decline, improvement, or stability) without project effects.

ı

Indicator

An indicator is a characteristic of an ecosystem (e.g. species diversity) that provides insight into a regions ecological state.

Interventions

Specific management activities that relieve degrading pressures or support regeneration to achieve the desired conservation outcomes (e.g., weed control, predator control, prevention of unsustainable harvesting, enrichment planting).

Intervention sites

Monitoring locations that are carefully selected to be representative subsamples of the full extent of the **offset site**.

L

Leakage

The unintended displacement of pressures, such as

pests, harvesting, or fire, from the offset site to surrounding areas because of offset project **interventions**.

M

Metric

A quantifiable measure used to evaluate the status of an **indicator** (e.g., number of breeding pairs of an **indicator** bird species).

Mitigation Hierarchy

A sequence of preferred actions used by development projects to meet the ultimate objective of ensuring a neutral net biodiversity outcome: first 'avoid', then 'minimize or reduce', then 'remediate or rehabilitate,' and as a last resort 'offset'.

N

Net Gain (NG)

Offset projects achieve net gains by delivering additional conservation outcomes for key biodiversity values that outweigh any adverse effects above a margin of uncertainty.

No Net Loss (NNL)

The point at which project-related adverse impacts on biodiversity are balanced by additional conservation outcomes.

0

Offset site

The full extent of the location(s) where offset interventions take place and where offset outcomes occur.

R

Reference site

Reference sites represent the best potential ecological condition for each

receiving offset
interventions.
Reference sites
provide a calibration
point for the longterm potential for
biodiversity gains when
assessing trajectories
of ecological state
change. If no local

ecosystem type

reference sites

currently exist, offset projects can use

historical information

to characterize the

potential recovery

S

state.

Survey methods

The standardized techniques or procedures used to collect data on biodiversity indicators during field monitoring. These should be appropriate to the indicator, ecosystem type, and monitoring objectives. Survey methods should be repeatable, scientifically sound, and feasible to implement over the monitoring period.



@idbinvest
www.idbinvest.org